



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

III. *An Account of an Experiment, made to ascertain the Proportion of the Expansion of the Liquor in the Thermometer, with Regard to the Degrees of Heat.* By Brook Taylor, LL.D.
R. S. S.

IT has, I believe, been generally supposed, tho' not proved, that the Expansion of the Liquor in the Thermometer, is proportional to the Increase of Heat. To determine this Matter with Certainty, I made the following Experiment.

I provided a good Linseed Oil Thermometer, which I marked with small Divisions, not equal in Length, but equal according to the Capacity of the Tube in the several Parts of it, as all Thermometers ought to be graduated. I likewise provided two Vessels of thin Tin, of the same Shape, and equal in Capacity, containing each about a Gallon. Then (observing in every Trial, that the Vessels were cold, before the Water was put in them, as also that the Vessel I measured the hot Water with, was well heated with it) I successively fill'd the Vessels with one, two, three, &c. Parts of hot boiling Water, and the rest cold; and at last with all the Water boiling hot; and in every Case I immersed the Thermometer into the Water, and observed to what Mark it rose, making each Trial in both Vessels for the greater Accuracy. And having first observed where the Thermometer stood in cold Water, I found that its rising from that Mark, or the Expansion of the Oil, was accurately proportional to the Quantity of hot Water in the Mixture, that is, to the Degree of Heat.